THE JOURNAL OF CHEMICAL THERMODYNAMICS

Volume 13, 1981

EDITORS

M. L. McGlashan
Department of Chemistry
University College London
20 Gordon Street
London WC1H 0AJ
U.K.

G. T. Armstrong
Thermochemical Measurements
and Standards
National Bureau of Standards
Washington, D.C. 20234
U.S.A.

Assistant Editor: **M. B. Ewing** (University College London, U.K.)

ADVISORY BOARD

Chairman: G. M. Schneider (F.R.G.)

D. Ambrose (U.K.)
M. Diaz Peña (Spain)
J. I. Gerassimov (U.S.S.R.)
P. Ch. Gravelle (France)
L. G. Hepler (Canada)
C. E. Holley, Jr. (U.S.A.)
O. J. Kleppa (U.S.A.)
M. Månsson (Sweden)
K. N. Marsh (Australia)
G. Pilcher (U.K.)
L. A. K. Staveley (U.K.)
J. Stecki (Poland)
H. Suga (Japan)
E. F. Westrum, Jr. (U.S.A.)
E. Whalley (Canada)

ACADEMIC PRESS
London New York Toronto
Sydney San Francisco
A Subsidiary of Harcourt Brace Jovanovich, Publishers

D501
J683

Copyright © 1981 Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 13

Number 1, January 1981

VANDERZEE, C. E.; WAUGH, D. H.; HAAS, N. C. The influence of grinding stress and thermal annealing on the enthalpy of solution of tris(hydroxymethyl)aminomethane and its use as a test substance in solution calorimetry 1

KIM, K-Y.; JOHNSON, C. E. Thermochemistry of rare-earth trifluorides. II. Estimation of standard enthalpies of formation 13

LETCHER, T. M. The excess volumes of bicyclohexyl + *n*-heptane, + *n*-octane, + *n*-nonane, + *n*-decane, + *n*-dodecane, and + *n*-hexadecane at temperatures between 283.15 and 313.15 K 27

SACCHETTO, G. A.; BOMBI, G. G.; MACCÀ, C. Vapour pressure of very concentrated electrolyte solutions. I. Measurements on $\{(1-x)H_2O + xLiNO_3\}$ and $\{(1—x)H_2O + xNH_4NO_3\}$ by a dew-point apparatus . 31

MCFALL, T. A.; POST, M. E.; COLLINS, S. G.; CHRISTENSEN, J. J.; IZATT, R. M. The excess enthalpies of 10 (*n*-butane + alcohol) mixtures at 298.15 K 41

TAMURA, K.; MURAKAMI, S.; FUJISHIRO, R. Excess enthalpies of (cyclohexanone + aromatic hydrocarbon), (methylcyclohexane + aromatic hydrocarbon), and (methylcyclohexane + cyclohexanone) at 298.15 K . . . 47

CERISIER, P.; FINIELS, G. Ultrasonic speed and compressibility in the fused-salt mixtures $\{xNaBr + (1-x)KBr\}$, $\{xNaBr + (1-x)NaNO_3\}$, and $\{xKBr+(1-x)KNO_3\}$, and in the reciprocal salt pair $\{xNa^+ + (1-x)K^+ + yNO_3^- + (1-y)Br^-\}$ 53

AMBROSE, D.; HALL, D. J. Thermodynamic properties of organic oxygen compounds. L. The vapour pressures of 1,2-ethanediol (ethylene glycol) and bis(2-hydroxyethyl) ether (diethylene glycol) 61

ROUW, A. C.; SOMSEN, G. The solvation of some alcohols in binary solvents: enthalpies of solution and enthalpies of transfer 67

POST, M. E.; MCFALL, T. A.; CHRISTENSEN, J. J.; IZATT, R. M. The excess enthalpies of seven (propane + alcohol) mixtures at 298.15 K . . 77

MARTIN, M. L.; SYMONS, L. Excess volumes of an *n*-alkane + cycloheptane, + cyclo-octane, and + cyclodecane at 298.15 K by continuous-dilution dilatometry 81

KAWAIZUMI, F.; NISHIO, N.; NOMURA, H.; MIYAHARA, Y. Heat-capacity measurements of aqueous solutions of mono-, di-, and tri-saccharides using an isoperibol twin calorimeter 89

NOTE

DHARMARAJU, G.; NARAYANASWAMY, G.; RAMAN, G. K. Excess volumes of alcohol + nitrobenzene and + chlorobenzene at 303.15 K . . 99

Number 2, February 1981

HOLMES, H. F.; BAES, C. F., JR.; MESMER, R. E. Isopiestic studies of aqueous solutions at elevated temperatures. III. $\{(1 - y)NaCl + yCaCl_2\}$. 101

KOLESOV, V. P.; KOSARUKINA, E. A.; ZHOGIN, D. YU.; POLOZNIKOVA, M. E.; PENTIN, YU. A. Heat capacities, phase transitions, and thermodynamic functions of 1,1,2,2-tetrafluoro-1,2-dichloroethane and 1,1,2-trifluoro-1,2,2-trichloroethane 115

HOLMES, H. F.; MESMER, R. E. Isopiestic studies of aqueous solutions at elevated temperatures. IV. $NiCl_2$ and $CoCl_2$ 131

BYSTRÖM, K. Enthalpies of combustion, vaporization, and formation for di-*n*-propyldiazene *N*-oxide and di-*t*-butyldiazene *N*-oxide . . 139

ALLRED, G. C.; WOOLLEY, E. M. Heat capacities of aqueous HCl, NaOH, and NaCl at 283.15, 298.15, and 313.15 K: ΔC_p° for ionization of water 147

ALLRED, G. C.; WOOLLEY, E. M. Heat capacities of aqueous acetic acid, sodium acetate, ammonia, and ammonium chloride at 283.15, 298.15, and 313.15 K: ΔC_p° for ionization of acetic acid and for dissociation of ammonium ion 155

PEIRO, J. M.; GRACIA, M.; GUTIERREZ LOSA, C. Excess enthalpies and excess volumes of some (benzene + bromoalkane) mixtures . . . 165

NAKAGAWA, M.; INUBUSHI, H.; MORIYOSHI, T. Compressions of water + *t*-butanol mixtures at 298.15 K and pressures up to 142 MPa . . 171

NUNES DA PONTE, M.; STAVELEY, L. A. K. The equation of state and thermodynamic properties of liquid hydrogen chloride 179

CORDFUNKE, E. H. P.; OUWELTJES, W. Standard enthalpies of formation of uranium compounds. VI. MUO_3 (M = Li, Na, K, and Rb) . . 187

CORDFUNKE, E. H. P.; OUWELTJES, W. Standard enthalpies of formation of uranium compounds. VII. UF_3 and UF_4 (by solution calorimetry) . 193

NOTES

MRAW, S. C.; O'ROURKE, D. F. Accuracy of differential scanning calorimetry

for heat capacities of organic compounds at high temperatures. New method for enthalpy of fusion by d.s.c. 199

MOUSA, A. H. N. Vapour pressure and saturated-vapour volume of acetonitrile 201

Number 3, March 1981

VANDERZEE, C. E.; HAAS, N. C. Second cross virial coefficients B_{12} for the gas mixture (carbon dioxide + water) from 300 to 1000 K . . 203

LEE-BECHTOLD, S. H.; FINKE, H. L.; MESSERLY, J. F.; SCOTT, D. W. Thermodynamic properties of methyl-substituted indans 213

INGLESE, A.; WILHELM, E.; GROLIER, J.-P. E.; KEHIAIAN, H. V. Thermodynamics of binary mixtures containing cyclic ethers. 3. Excess enthalpies of oxolane, 1,3-dioxolane, oxane, and 1,3-dioxane + benzene and + tetrachloromethane 229

OSBORNE, C. G.; MORCOM, K. W. Thermodynamic behaviour of (hexafluorobenzene + a cyclic ether). I. Excess Gibbs functions . . . 235

CASANOVA, C.; WILHELM, E.; GROLIER, J.-P. E.; KEHIAIAN, H. V. Excess volumes and excess heat capacities of (water + alkanoic acid) . . 241

DHARMARAJU, G.; NARAYANASWAMY, G.; RAMAN, G. K. Excess volumes of (cyclohexylamine + an alkanol) at 303.15 K 249

TRESZCZANOWICZ, A. J.; KIYOHARA, O.; BENSON, G. C. Excess volumes for *n*-alkanols + *n*-alkanes. IV. Binary mixtures of decan-1-ol + *n*-pentane, + *n*-hexane, + *n*-octane, + *n*-decane, and + *n*-hexadecane . . 253

DOYLE, J. A.; HUTCHINGS, D. J.; MAYR, J. C.; WORMALD, C. J. The enthalpy of mixing of (acetone + trichloromethane) vapour . . . 261

JOHNSON, G. K.; CORDFUNKE, E. H. P. The enthalpies of formation of uranium mononitride and α- and β-uranium sesquinitride by fluorine bomb calorimetry 273

WHITE, M. A.; GREEN, N. H.; STAVELEY, L. A. K. The heat capacity of ammonium tetrafluoroborate from 9 to 294 K 283

TAKAGI, T. Ultrasonic speeds and thermodynamics of (benzene + an isomeric xylene) under high pressures 291

NOTE

NWANKWO, S. I. The standard enthalpies of hydrolysis and formation of tetraethylammonium tetrabromophosphite 301

Number 4, April 1981

RASCHELLA, D. L.; FELLOWS, R. L.; PETERSON, J. R. Isoperibol microcalorimeter for measuring enthalpies of solution of radioactive elements and compounds. Enthalpy of solution of ^{248}Cm metal 303

KEMORI, N.; KATAYAMA, I.; KOZUKA, Z. Solubility limit and thermodynamic properties of oxygen in liquid nickel 313

NARAYANASWAMY, G.; DHARMARAJU, G.; RAMAN, G. K. Excess volumes and isentropic compressibilities of acetonitrile + *n*-propanol, + *i*-propanol, + *n*-butanol, + *i*-butanol, and + cyclohexanol at 303.15 K 327

KIM, K.-Y.; JOHNSON, G. K.; JOHNSON, C. E.; FLOTOW, H. E.; APPELMAN, E. H.; O'HARE, P. A. G.; PHILLIPS, B. A. Thermodynamic properties of tricesium chromium(V) tetroxide (Cs_3CrO_4) 333

FINKE, H. L.; MESSERLY, J. F.; LEE-BECHTOLD, S. H. Thermodynamic properties of cyclopropylamine, cyclopentylamine, and methylenecyclobutane 345

KALINOWSKA, B.; JEDLIŃSKA, J.; STECKI, J.; WÓYCICKI, W. Heat capacities of liquids in the temperature interval between 90 and 300 K and at atmospheric pressure. II. Heat capacities and excess heat capacities of propan-1-ol + *n*-heptane and + *n*-hexane 357

RAO, D. N.; KRISHNAIAH, A.; NAIDU, P. R. Excess volumes of (ethylenediamine + an isoalcohol) 367

OTT, J. B.; MARSH, K. N.; STOKES, R. H. Excess enthalpies, excess volumes, and excess Gibbs free energies for (*n*-hexane + *n*-dodecane) at 298.15 and 308.15 K 371

DAVIES, D. R.; MCGLASHAN, M. L. Phase equilibria and critical constants of fluid (dodecafluorocyclohexane + hexafluorobenzene) 377

MONZON, J. M.; OTIN, S.; GUTIÉRREZ LOSA, C. Thermodynamic properties of organic oxygen compounds. Excess enthalpies for (*n*-hexane + a diester) 385

WEBER, L. A. Measurements of the heat capacities C_V of dense gaseous and liquid nitrogen and nitrogen trifluoride 389

Number 5, May 1981

HOSSENLOPP, I. A.; SCOTT, D. W. Vapor heat capacities and enthalpies of vaporization of six organic compounds 405

HOSSENLOPP, I. A.; SCOTT, D. W. Vapor heat capacities and enthalpies of vaporization of five alkane hydrocarbons 415

HOSSENLOPP, I. A.; SCOTT, D. W. Vapor heat capacities and enthalpies of vaporization of four aromatic and/or cycloalkane hydrocarbons . . 423

HUGILL, J. A.; MCGLASHAN, M. L. Phase equilibria, and critical temperatures and pressures, of fluid (cyclohexane + hexafluorobenzene) . . . 429

OLOFSSON, G.; OLOFSSON, I. Empirical equations for some thermodynamic quantities for the ionization of water as a function of temperature . 437

MCFALL, T. A.; POST, M. E.; CHRISTENSEN, J. J.; IZATT, R. M. The excess enthalpies of eight (ethane + alcohol) mixtures at 298.15 K . . . 441

OTT, J. B.; MARSH, K. N.; RICHARDS, A. E. Excess enthalpies, excess Gibbs free energies, and excess volumes for (di-*n*-butyl ether + benzene) and excess Gibbs free energies and excess volumes for (di-*n*-butyl ether + tetrachloromethane) at 298.15 and 308.15 K 447

KRUIF, C. G. DE; GENDEREN, A. C. G. VAN; BINK, J. C. W. G.; OONK, H. A. J. Properties of mixed crystalline organic material prepared by zone levelling. II. Vapour pressures and excess Gibbs energies of (*p*-dichlorobenzene + *p*-dibromobenzene) 457

JOHNSON, G. K. The enthalpy of formation of FeF_3 by fluorine bomb calorimetry 465

WIJBENGA, G.; JOHNSON, G. K. The enthalpy of formation of palladium (II) hexafluoropalladate (IV), $Pd(PdF_6)$, by PF_3 reduction calorimetry. . 471

FLOTOW, H. E.; O'HARE, P. A. G.; BOERIO-GOATES, J. Heat capacity from 5 to 350 K and thermodynamic properties of cesium nitrate to 725 K . . 477

SINGH, Z.; PRASAD, R.; VENUGOPAL, V.; ROY, K. N.; SOOD, D. D. Thermodynamics of the vaporization of uranium tetrabromide . . 485

WORK, D. E. The vaporization thermodynamics of sodium iodide . . . 491

Number 6, June 1981

CARLING, R. W. Dissociation pressures and enthalpies of reaction in $MgCl_2 \cdot nH_2O$ and $CaCl_2 \cdot nNH_3$ 503

BURCHFIELD, T. E.; HEPLER, L. G. Enthalpies of solution of 4-aminopyridine in aqueous perchloric acid at 298.15 and 303.15 K: possible use of 4-aminopyridine as an exothermic reference reaction for solution calorimetry 513

CHIRICO, R. D.; WESTRUM, E. F., JR. Thermophysics of the lanthanide trihydroxides. III. Heat capacities from 5 to 350 K of the related compound $Y(OH)_3$. Lattice contribution. 519

EWING, M. B., MCGLASHAN, M. L.; TZIAS, P. Phase equilibria, and critical temperatures and pressures, of fluid (benzene + hexafluorobenzene) . 527

ROY, R. N.; GIBBONS, J. J.; BUECHTER, K.; FASZHOLZ, S. Thermodynamic behavior of hydrochloric and hydrobromic acid in {water + 50 mass per cent bis-2-methoxyethyl ether (diglyme)} from e.m.f. measurements at 278.15 to 328.15 K 537

ABRAHAM, M. H.; NASEHZADEH, A. Thermodynamic functions for solution of triethylamine in 30 solvents, and calculation of the solute–solvent interaction terms 549

KRISTÓF, E.; ORSZÁG, I.; RATKOVICS, F. Static vapour-liquid equilibrium studies on $\{xC_3H_7NH_2 + (1-x)C_3H_7OH\}$ 557

PEIRO, J. M.; GRACIA, M.; GUTIERREZ LOSA, C. Excess enthalpies and excess volumes of some (tetrachloromethane + bromoalkane) mixtures . . 563

FERRÃO, M. L. C. C. H.; RIBEIRO DA SILVA, M. A. V.; SURADI, S.; PILCHER, G.; SKINNER, H. A. Enthalpies of combustion of four methyl-substituted heptane-3,5-diones and benzoylacetone 567

VANDERZEE, C. E.; WIGG, D. A. The standard enthalpies of solution and formation of Wegscheider's salt: $Na_2CO_3 \cdot 3NaHCO_3$(s) and of trona: $Na_2CO_3 \cdot NaHCO_3 \cdot 2H_2O$(s) at 298.15 K 573

ALLRED, G. C.; WOOLLEY, E. M. Heat capacities and densities of solutions of NaCl, DCl, and NaOD in D_2O at 283.15, 298.15, and 313.15 K: ΔC_p° and ΔV° for ionization of D_2O 585

HALES, J. L.; COGMAN, R. C.; FRITH, W. J. A transpiration-g.l.c. apparatus for measurement of low vapour concentration 591

Number 7, July 1981

A Report of IUPAC Commission I.2 on Thermodynamics. Assignment and presentation of uncertainties of the numerical results of thermodynamic measurements 603

RICHARDS, P.; WORMALD, C. J.; YERLETT, T. K. The excess enthalpy of (water+nitrogen) vapour and (water+*n*-heptane) vapour . . . 623

BANEWICZ, J. J.; MAGUIRE, J. A.; SMITH, P. O.; LUSSKY, D.; SUDBRINK, D. W.; ALLEN, D. E. A thermodynamic investigation of {cobalt (II) bromide +acetonitrile} and {cobalt (II) bromide+propionitrile} 629

LAVUT, E. G.; TIMOFEYEV, B. I.; YULDASHEVA, V. M.; LAVUT, E. A.; GALCHENKO, G. L. Enthalpies of formation of tin (IV) and tin (II) oxides from combustion calorimetry 635

GREGORCZYK, Z.; STAWARZ, L.; JURZYK, E. Thermodynamic properties of liquid (indium+bismuth). 647

GIDLEY, M. A.; STUBLEY, D. Excess enthalpies and volumes of mixtures of (tetrachloromethane + an *n*-alkyl benzene) at 298.15 K 655

TEKÁČ, V.; MAJER, V.; SVOBODA, V.; HYNEK, V. Enthalpies of vaporization and cohesive energies for six monochlorinated alkanes 659

ERASTOV, P. A.; KOLESOV, V. P.; DITYAT'EVA, L. N.; GOLOVANOVA, YU. G. The enthalpy of formation of 1,1,2-trifluoro-1,2,2-trichloroethane . . . 663

MÅNSSON, M.; SUNNER, S. Enthalpy of formation and strain energy of bullvalene (tricyclo[3.3.2.0^{4,6}]deca-2,7,9-triene); a calorimetric study . 671

RAO, D. N.; KRISHNAIAH, A.; NAIDU, P. R. Excess thermodynamic properties of liquid (ethylenediamine + an aromatic hydrocarbon) 677

PAPINA, T. S.; ERASTOV, P. A.; KOLESOV, V. P. The enthalpies of formation of 1,1,1-trifluoro-2-chloro-2-bromoethane and 1,1,2-trifluoro-2-chloro-1-bromoethane 683

RAO, D. N.; NAIDU, P. R. Excess volumes of (ethylenediamine + an alcohol) . 691

KIM, K.-Y.; JOHNSON, G. K.; O'HARE, P. A. G.; PHILLIPS, B. A. The standard enthalpy of formation at 298.15 K of Cs_4CrO_4 695

NOTES

OTIN, S.; PEIRO, J. M.; VELASCO, I.; GUTIERREZ LOSA, C. Excess enthalpies for (1-bromohexane + a diester) 699

WIRTHS, M.; SCHNEIDER, G. M. The effect of pressure on the λ-transitions of NH_4Cl and ND_4Cl 701

Number 8, August 1981

YOKOKAWA, H.; KLEPPA, O. J. Thermochemistry of liquid alloys of transition metals. II. (Copper + titanium) at 1372 K 703

JOHNSON, G. K.; STEELE, W. V. The standard enthalpy of formation of uranium dioxide by fluorine bomb calorimetry 717

ELSEMONGY, M. M.; FOUDA, A. S. Standard potentials of the (silver + silver chloride) electrode and the thermodynamic behaviour of hydrochloric acid in (ethanol + water) at 288.15 to 328.15 K 725

RAHMAN, A.; CLAYTON, P. R.; STAVELEY, L. A. K. The heat capacity of the layer compound methylammonium cadmium tetrachloride, $(CH_3NH_3)_2CdCl_4$, from 2.3 to 301 K 735

JOHNSON, G. K.; PAPATHEODOROU, G. N.; JOHNSON, C. E. The enthalpies of formation of SbF_5(l) and Sb_2S_3(c) and the high-temperature thermodynamic functions of Sb_2S_3(c) and Sb_2S_3(l) 745

PHUTELA, R. C.; KLEPPA, O. J. Thermodynamics of dilute solutions of hydrogen and deuterium in manganese at 555 to 700 K 755

CASTELLANOS, M. A.; NUÑEZ DELGADO, J. Activity coefficients of hexamincobalt (III) oxalate in aqueous solutions of different electrolytes 761

NUNES DA PONTE, M.; STREETT, W. B.; MILLER, R. C.; STAVELEY, L. A. K. An experimental study of the equation of state of liquid (argon + methane), and the effect of pressure on their excess thermodynamic functions . 767

AICART, E.; TARDAJOS, G.; DIAZ PEÑA, M. Isothermal compressibility of cyclohexane + *n*-tridecane and + *n*-pentadecane at 298.15, 308.15, 318.15, and 333.15 K 783

KUMARAN, M. K. Molar volume of (methylcyclohexane + tetradecafluoromethylcyclohexane) in the critical region 789

AMBROSE, D.; ELLENDER, J. H.; GUNDRY, H. A.; LEE, D. A.; TOWNSEND, R. Thermodynamic properties of organic oxygen compounds. LI. The vapour pressures of some esters and fatty acids 795

Number 9, September 1981

SUSKI, L.; TOMCZYK, P. Application of hard-sphere theory to the compressibilities of some fused-salt binary mixtures 803

COULTER, L. V.; LEE-BECHTOLD, S. H.; MADHVARAJA, V.; GIBSON, J. K. The phase diagram of (lithium + ammonia) in the vicinity of the compound $Li(NH_3)_4$ 815

CANEIRO, A.; FOULETIER, J.; KLEITZ, M. Determination of standard Gibbs energy change for $CO + \frac{1}{2}O_2 = CO_2$ using an electrochemical pump and gauge . 823

BECKER, F.; BRAUN, G.; STEIGER, A. Microcalorimetric determination of the enthalpies of solution at 298.15 K of trifluoromethane and of chlorotrifluoromethane in aromatic hydrocarbons 833

GRIFFINI, E.; LONGHI, P.; MUSSINI, T.; RONDININI, S. Standard potentials for the (thallium amalgam + aqueous thallous bromide) electrode from 283.15 to 343.15 K and for the (thallium + aqueous thallous bromide) electrode from 288.15 to 308.15 K, and thermodynamic solubility product of aqueous thallous bromide from 283.15 to 343.15 K 843

SCHUFFENECKER, L.; BALESDENT, D.; HOURIEZ, J. Calorimetry and equilibrium measurements for the reaction of cadmium on divalent lead oxide between 740 and 1050 K. Standard molar enthalpy of formation of cadmium oxide . 849

SURADI, S.; HACKING, J. M.; PILCHER, G.; GÜMRÜKÇÜ, I.; LAPPERT, M. F. Enthalpies of combustion of five sterically hindered amines . . . 857

RICHARD, A. J.; FLEMING, P. B. The isothermal piezooptic coefficient and compressibility of some substituted benzenes and cyclic compounds. . 863

Díaz Peña, M.; Compostizo, A.; Crespo Colín, A.; Escudero, I. Isothermal (p, x, y) relations and activity coefficients for benzene + chlorobenzene, + fluorobenzene, and + thiophene at 348.15 K 869

Handa, Y. P.; Halpin, C. J.; Benson, G. C. Ultrasonic speeds and isentropic compressibilities for (hexan-1-ol + n-alkane) at 298.15 K 875

Benson, G. C.; Handa, Y. P. Ultrasonic speeds and isentropic compressibilities for (decan-1-ol + n-alkane) at 298.15 K 887

NOTES

Takagi, T. Pressure effect on excess isentropic compressibility and excess molar volume for (benzene + aniline) and (chlorobenzene + aniline) at 298.15 K . 897

Naumowicz, E.; Olesiak, K.; Wóycicki, W. Excess enthalpy of (argon + helium) 899

Ambrose, D.; Ellender, J. H. The vapour pressure of octafluorotoluene . 901

Number 10, October 1981

Jain, D. V. S.; Wadi, R. K.; Saini, S. B. Isothermal liquid-vapour equilibria for tetrahydrofuran + tetrachloromethane and + tetrachloroethene at 303.15 and 323.15 K 903

Goates, J. R.; Ott, J. B.; Grigg, R. B. Excess volumes of n-hexane + n-heptane, + n-octane, + n-nonane, and + n-decane at 283.15, 298.15, and 313.15 K 907

Sidorov, L. N.; Karasev, N. M.; Korenev, Yu. M. Mass-spectrometric study of (potassium fluoride + zirconium tetrafluoride) and (caesium fluoride + zirconium tetrafluoride). Molecular composition of vapour. Activities. Congruent and incongruent sublimation of $3KF \cdot ZrF_4$ crystal . . . 915

Cristol, B.; Houriez, J.; Balesdent, D. Partial molar excess enthalpies of molten (cadmium chloride + potassium chloride) 937

Vanderzee, C. E. Reduction of results to the isothermal calorimetric process and to the standard-state process in solution-reaction calorimetry . . 947

Johnson, G. K.; Steele, W. V. The standard enthalpy of formation of potassium sulfide (K_2S) by fluorine bomb calorimetry 985

Johnson, G. K.; Steele, W. V. The standard enthalpy of formation of chalcopyrite ($CuFeS_2$) by fluorine bomb calorimetry 991

NOTE

Monzon, J. M.; Otin, S.; Gutierrez Losa, C. Excess enthalpies for (hexane + a diketone) 999

Number 11, November 1981

Mansoorian, H.; Hall, K. R.; Holste, J. C.; Eubank, P. T. The density of gaseous ethane and of fluid methyl chloride, and the vapor pressure of methyl chloride 1001

Holmes, H. F.; Mesmer, R. E. Isopiestic studies of aqueous solutions at elevated temperatures. V. $SrCl_2$ and $BaCl_2$ 1025

Holmes, H. F.; Mesmer, R. E. Isopiestic studies of aqueous solutions at elevated temperatures. VI. LiCl and CsCl 1035

Smith-Magowan, D.; Wood, R. H. Heat capacity of aqueous sodium chloride from 320 to 600 K measured with a new flow calorimeter . . . 1047

O'Hare, P. A. G.; Flotow, H. E.; Hoekstra, H. R. Cesium diuranate ($Cs_2U_2O_7$): heat capacity (5 to 350 K) and thermodynamic functions to 350 K. A re-evaluation of the standard enthalpy of formation and the thermodynamics of (cesium + uranium + oxygen) 1075

de Kruif, C. G.; Kuipers, T.; van Miltenburg, J. C.; Schaake, R. C. F.; Stevens, G. The vapour pressure of solid and liquid naphthalene . . 1081

Chirico, R. D.; Boerio-Goates, J.; Westrum, E. F., Jr. Thermophysics of the lanthanide trihydroxides. IV. The heat capacity of $Ho(OH)_3$ from 11 to 350 K. Lattice and Schottky contributions 1087

Pavese, F.; Besley, L. M. Triple-point temperature of propane: measurements on two solid-to-liquid transitions and one solid-to-solid transition 1095

Number 12, December 1981

Perron, G.; Desnoyers, J. E. Heat capacities and volumes of interaction between mixtures of alcohols in water at 298.15 K 1105

Elsemongy, M. M.; Fouda, A. S. Thermodynamics of hydrochloric acid in (1-propanol + water) from electromotive-force measurements . . 1123

Cacheiro Alonso, M.; Nuñez Delgado, J. Excess volumes of binary mixtures of (*p*-xylene + an *n*-alkane) 1133

Vanderzee, C. E. Evaluation of corrections from temperature-time curves in isoperibol calorimetry under normal and adverse operating conditions . 1139

Siddiqi, M. A. Excess molar volumes of (a cycloalkane + a methylcycloalkane) 1151

Buchowski, H.; Los, J.; Zajączkowska, W. Excess functions of (an alkane + carbon disulphide) at 298.15 K 1155

AMBROSE, D. Reference values of vapour pressure. The vapour pressures of benzene and hexafluorobenzene 1161

COLOMINA, M.; ROUX, M. V.; TURRION, C. Thermochemical properties of benzoic acid derivatives. X. Enthalpies of combustion and formation of 2,3-, 2,4-, 2,6-, 3,4-, and 3,5-dimethoxybenzoic acids 1169

BENSON, G. C.; HALPIN, C. J.; TRESZCZANOWICZ, A. J. Excess volumes and isentropic compressibilities for (2-ethoxyethanol + *n*-heptane) at 298.15 K 1175

LEBEDEV, B. V.; YEVSTROPOV, A. A.; KIPARISOVA, YE. G. Thermodynamics of undecanolactone, tridecanolactone, and pentadecanolactone from 0 to 340 K 1185

INDEX TO VOLUME 13 1205